Journal of Testing and Evaluation

Index to Volume 4

1976

Number	Month of Issue	Pages
1	January	1–116
2	March	117–164
3	May	165–228
4	July	229–300
5	September	301–380
6	November	381–452

A

Abrasion testers
  Development of a method to measure wear on resilient flooring (Irwin), Jan., 15
Accelerated tests
  Correlation of strength of cement mortar cured by 28-day standard and accelerated methods (Chriss), Nov., 440
Acceptibility
  Statistical interpretation of strength tests of masonry units for structural applications (Brown and Grogan), July, 272
Acoustic emission
  Note on pseudo-acoustic emission sources (Egle and Brown), May, 196
  Origin of burst-type acoustic emission in unflawed 7075-T6 aluminum (Bianchetti, Hamstad, and Mukherjee), Sept., 313
Adams, Marc and Sines, George: Methods for determining the strength of brittle materials in compressive stress states, Nov., 383
Admixtures
  Influence of calcium chloride on the drying shrinkage of alite paste (Berger, Kung, and Young), Jan., 85
Aerodynamic configurations
  Structural tests of aerodynamic surfaces: a systems approach to analysis and design (Goldenberg), Nov., 418
Aggregates
  Evaluation of a proposed test method for determining the maximum dry density of dense graded aggregate (Roberts), Sept., 303
  Red mud from alumina plants as a possible source of synthetic aggregate (Blank), Sept., 355
  Tensile-shear bond strength and failure between aggregate and mortar (Kao and Slate), March, 148
Air flow
  Comparisons of determinations of wool fiber diameter by two airflow methods (Kirby, Johnson, and Larsen), July, 268
Alignment
  Alignment problems in the tensile test (Christ and Swanson), Nov., 405
Aluminum
  Elevated temperature fatigue of aluminum alloy 5454 [addendum to "low cycle fatigue of aluminum alloys"] (Brodrick), Sept., 375
  Origin of burst-type acoustic emission in unflawed 7075-T6 aluminum (Bianchetti, Hamstad, and Mukherjee), Sept., 313
Aluminum oxide
  Red mud from alumina plants as a possible source of synthetic aggregate (Blank), Sept., 355

B

Bachmann, V. and Munz, D.: Unusual potential drop during the application of the electrical potential method in a fracture mechanics test, July, 257
Barrick, J. E., II and Krokosky, E. M.: Effects of temperature and relative humidity on static strength of hydrated portland cement, Jan., 61
Bellow, D. G. and Faulkner, M. G.: Salt water and hydrogen sulfide corrosion fatigue of work-hardened, threaded elements, March, 141
Berger, D. M. and Mroz, S. E.: Instruments for inspection of coatings, Jan., 29
Berger, R. L., Kung, J. H., and Young, J. F.: Influence of calcium chloride on the drying shrinkage of alite paste, Jan., 85
Bianchetti, R., Hamstad, M. A., and Mukherjee, A. K.: Origin of burst-type acoustic emission in unflawed 7075-T6 aluminum, Sept., 313
Binders (materials)
  Past, present, and potential developments of sulfate-resisting concretes (Kalousek, Porter, and Harboe), Sept., 347
Bioassay
  Screening bioassay using *Daphnia pulex* for refinery wastes discharged into freshwater (Buikema, Lee, and Cairns), March, 119
Blank, H. R.: Red mud from alumina plants as a possible source of synthetic aggregate, Sept., 355
Block concrete
  Block concrete is a structural material (Holm), July, 293
Brasses
  Corrosion and dezincification of brasses in water (Skidmore and Schwartzbart), Nov., 426
Bricks
  Statistical interpretation of strength tests of masonry units for structural applications (Brown and Grogan), July, 272
  Sulfur- and polymer-impregnated brick and block prisms (Chen, Mehta, and Slutter), July, 283
Brittleness
  Fracture criteria for brittle materials (Ehrenburg), May, 200
  Methods for determining the strength of brittle materials in compressive stress states (Adams and Sines), Nov., 383
  Production and economic consequences when machining glass ceramic (Turker, Stanislao, and Richman), March, 157
Brodrick, R. F.: Elevated temperature fatigue of aluminum alloy 5454 [addendum to "low cycle fatigue of aluminum alloys"], Sept., 375
Brown, A. E.: *see* Egle, D. M. and Brown, A. E.
Brown, R. H. and Grogan, J. C.: Statistical interpretation of strength tests of masonry units for structural applications, July, 272
Buikema, A. L., Jr., Lee, D. R., and Cairns, John, Jr.: Screening bioassay using *Daphnia pulex* for refinery wastes discharged into freshwater, March, 119
Buzzard, R. J.: *see* Klima, S. J., Fisher, D. M., and Buzzard, R. J.

C

Čadek, Josef: *see* Hostinský, Tomáš and Čadek, Josef
Cairns, John, Jr.: *see* Buikema, A. L., Jr., Lee, D. R., and Cairns, John, Jr.
Calcium chloride
  Influence of calcium chloride on the drying shrinkage of alite paste (Berger, Kung, and Young), Jan., 85
Cavitation
  Correlating models and prediction of

erosion resistance to cavitation and drop impact (Veerabhadra Rao, Syamala Rao, and Lakshmana Rao), Jan., 3
Chait, R.: Strength and toughness of a metastable beta-titanium alloy as influenced by strain rate variations, Sept., 359
Chemical attack
Discussion of "a new test for sulfate resistance of cements" by P. K. Mehta and O. E. Gjørv (Coutinho), Jan., 40
Chen, W. F., Mehta, H. C., and Slutter, R. G.: Sulfur- and polymer-impregnated brick and block prisms, July, 283
Chriss, Stephen: Correlation of strength of cement mortar cured by 28-day standard and accelerated methods, Nov., 440
Christ, B. W. and Swanson, S. R.: Alignment problems in the tensile test, Nov., 405
Clay minerals
Remolding stresses and directional strength behavior of an illitic clay (Khera), Jan., 101
Clotfelter, W. N.: *see* Ranganathan, B. N., Wert, J. J., and Clotfelter, W. N.
Clough, R. B.: Note on the measurement of proportional limit under multiaxial stresses, March, 139
Coatings
Fatigue damage alleviation by intermittent electroplating (McKinnon), Jan., 57
Collacott, R. A.: Monitoring to determine the dynamics of fatigue testing, May, 181
Compacting
Evaluation of a proposed test method for determining the maximum dry density of dense graded aggregate (Roberts), Sept., 303
Laboratory compaction test methods and results compared with attainable field densities on subbase materials (Hoffman, Cumberledge, and Koehler), May, 167
Components
Converting fatigue loading spectra for flight-by-flight testing of aircraft and helicopter components (Ekvall and Young), July, 231
Compression tests
Methods for determining the strength of brittle materials in compressive stress states (Adams and Sines), Nov., 383
Concretes
Joint movement in precast concrete panel cladding (Karpati and Sereda), March, 151
Past, present, and potential developments of sulfate-resisting concretes (Kalousek, Porter, and Harboe), Sept., 347
Construction joints
Joint movement in precast concrete panel cladding (Karpati and Sereda), March, 151
Copper
Mechanical properties at elevated temperature of CuBath® electroplated copper for multilayer boards (Fox), Jan., 74
Copper beryllium alloys
Discussion of "stress relaxation in tension of CA 172 copper-beryllium" by R. P. Goel (Parikh and Shapiro), March, 161
Correlation
Correlating models and prediction of erosion resistance to cavitation and drop impact (Veerabhadra Rao, Syamalo Rao, and Lakshmana Rao), Jan., 3
Corrosion
Corrosion and dezincification of brasses in water (Skidmore and Schwartzbart), Nov., 426
Evaluation of intergranular corrosion in stainless steel (Loginow), Nov., 434
Corrosion fatigue
Salt water and hydrogen sulfide corrosion fatigue of work-hardened, threaded elements (Bellow and Faulkner), March, 141
Corrosion tests
Nomograph for determining corrosion rate in wire coil tests (Zanker), July, 261
Cotsworth, R. P.: *see* Emery, J. J., Kim, C. S., and Cotsworth, R. P.
Coutinho, A. S.: Discussion of "a new test for sulfate resistance of cements" by P. K. Mehta and O. E. Gjørv, Jan., 40
Crack initiation
Local strain behavior prior to fatigue crack nucleation (Quesnel and Meshii), Sept., 319
Crack propagation
Discussion of "unusual potential drop during the application of the electrical potential method in a fracture mechanics test" by V. Bachmann and D. Munz (Shannon), Nov., 425
Fracture energy and crack tunnelling (Johnson and Radon), May, 209
Monitoring crack extension in fracture toughness tests by ultrasonics (Klima, Fisher, and Buzzard), Nov., 397
Unusual potential drop during the application of the electrical potential method in a fracture mechanics test (Bachmann and Munz), July, 257
Creep properties
Constant tensile stress creep testing machine (Hostinský and Čadek), Jan., 26
Mechanical properties at elevated temperature of CuBath® electroplated copper for multilayer boards (Fox), Jan., 74
Cumberledge, Gaylord: *see* Hoffman, G. L., Cumberledge, Gaylord, and Koehler, W. C.
Cutting
Machining glass ceramic in dry and wet environments (Stanislao, Turker, and Richman), Jan., 109

D

Density
Evaluation of a proposed test method for determining the maximum dry density of dense graded aggregate (Roberts), Sept., 303
Laboratory compaction test methods and results compared with attainable field densities on subbase materials (Hoffman, Cumberledge, and Koehler), May, 167
Detectors
Instruments for inspection of coatings (Berger and Mroz), Jan., 29
Devitrified glass
Production and economic consequences when machining glass ceramic (Turker, Stanislao, and Richman), March, 157
Dezincification
Corrosion and dezincification of brasses in water (Skidmore and Schwartzbart), Nov., 426
Dielectric properties
Guard-gap correction for guarded-electrode measurements and exact equations of the two-fluid method of measuring permittivity and loss (Endicott), May, 188
Drawability
Definition of drawability and its relation to deformation in the drawing of square cups (Hsu and Lee), Sept., 340
Ductility
Definition of drawability and its relation to deformation in the drawing of square cups (Hsu and Lee), Sept., 340
Dynamic characteristics
Characterization of polymeric materials by dynamic mechanical properties (Seefried and Koleske), May, 220

E

Egle, D. M. and Brown, A. E.: Note on pseudo-acoustic emission sources, May, 196
Ehrenburg, D. O.: Fracture criteria for brittle materials, May, 200
Ekvall, J. C. and Young, L.: Converting fatigue loading spectra for flight-by-flight testing of aircraft and helicopter components, July, 231
Electric potential
Discussion of "unusual potential drop during the application of the electrical potential method in a fracture mechanics test" by V. Bachmann and D. Munz (Shannon), Nov., 425
New stable nickel-base thermocouple (Starr and Wang), Jan., 42
Unusual potential drop during the application of the electrical potential method in a fracture mechanics test (Bachmann and Munz), July, 257
Electrodes
Guard-gap correction for guarded-electrode measurements and exact equations of the two-fluid method of measuring permittivity and loss (Endicott), May, 188
Electronic test equipment
Load-time attenuation during instrumented Charpy impact testing (Rack), May, 176
Electroplating
Fatigue damage alleviation by intermittent electroplating (McKinnon), Jan., 57
Mechanical properties at elevated temperature of CuBath® electroplated copper for multilayer boards (Fox), Jan., 74
Elevated temperature
Damage function and associated failure equations for predicting hold time and frequency effects in elevated temperature, low cycle fatigue (Ostergren), Sept., 327
Emery, J. J., Kim, C. S., and Cotsworth, R. P.: Base stabilization using pelletized blast furnace slag, Jan., 94
Endicott, H. S.: Guard-gap correction for guarded-electrode measurements and exact equations of the two-fluid method of measuring permittivity and loss, May, 188

Erosion
Correlating models and prediction of erosion resistance to cavitation and drop impact (Veerabhadra Rao, Syamala Rao, and Lakshmana Rao), Jan., 3
Experimentation
Constant tensile stress creep testing machine (Hostinský and Čadek), Jan., 26

F

Fatigue (materials)
Converting fatigue loading spectra for flight-by-flight testing of aircraft and helicopter components (Ekvall and Young), July, 231
Damage function and associated failure equations for predicting hold time and frequency effects in elevated temperature, low cycle fatigue (Ostergren), Sept., 327
Elevated temperature fatigue of aluminum alloy 5454 [addendum to "low cycle fatigue of aluminum alloys"] (Brodrick), Sept., 375
Fatigue damage alleviation by intermittent electroplating (McKinnon), Jan., 57
Local strain behavior prior to fatigue crack nucleation (Quesnel and Meshii), Sept., 319
Fatigue tests
Monitoring to determine the dynamics of fatigue testing (Collacott), May, 181
Faulkner, M. G.: *see* Bellow, D. G. and Faulkner, M. G.
Field strength
Laboratory compaction test methods and results compared with attainable field densities on subbase materials (Hoffman, Cumberledge, and Koehler), May, 167
Field tests
X-ray residual stress calibration data of certain ferrous and nonferrous alloys (Ranganathan, Wert, and Clotfelter), May, 218
Fisher, D. M.: *see* Klima, S. J., Fisher, D. M., and Buzzard, R. J.
Flight simulation
Structural tests of aerodynamic surfaces: a systems approach to analysis and design (Goldenberg), Nov., 418
Floors
Development of a method to measure wear on resilient flooring (Irwin), Jan., 15
Evaluation of some factors affecting measurements of slip resistance of shoe sole materials on floor surfaces (Irvine), March, 133
Formability
Definition of drawability and its relation to deformation in the drawing of square cups (Hsu and Lee), Sept., 340
Fortes, M. A. and Proença, J. G.: Constancy of the tensile test machine stiffness, July, 248
Fox, A.: Mechanical properties at elevated temperature of CuBath® electroplated copper for multilayer boards, Jan., 74
Fractures (materials)
Fracture criteria for brittle materials (Ehrenburg), May, 200
Monitoring crack extension in fracture toughness tests by ultrasonics (Klima, Fisher, and Buzzard), Nov., 397
Fracture strength
Feasibility of ranking material fracture toughness by ultrasonic attenuation measurements (Vary), July, 251
Fracture energy and crack tunnelling (Johnson and Radon), May, 209
Fracture tests
Discussion of "unusual potential drop during the application of the electrical potential method in a fracture mechanics test" by V. Bachmann and D. Munz (Shannon), Nov., 425
Unusual potential drop during the application of the electrical potential method in a fracture mechanics test (Bachmann and Munz), July, 257

G

Goldenberg, Kim: Structural tests of aerodynamic surfaces: a systems approach to analysis and design, Nov., 418
Gonzalez, Henry: Screening test for torsional creep performance of plastics, Jan., 21
Grogan, J. C.: *see* Brown, R. H. and Grogan, J. C.

H

Hamstad, M. A.: *see* Bianchetti, R., Hamstad, M. A., and Mukherjee, A. K.
Harboe, E. M.: *see* Kalousek, G. L., Porter, L. C., and Harboe, E. M.
Henry, L. F., III: Environmental stress cracking of thermoplastics: a new approach to testing, July, 263
Hoffman, G. L., Cumberledge, Gaylord, and Koehler, W. C.: Laboratory compaction test methods and results compared with attainable field densities on subbase materials, May, 167
Holm, T. A.: Block concrete is a structural material, July, 293
Hostinský, Tomáš and Čadek, Josef: Constant tensile stress creep testing machine, Jan., 26
Hsu, T. C. and Lee, S. Y.: Definition of drawability and its relation to deformation in the drawing of square cups, Sept., 340
Humidity
Effects of temperature and relative humidity on static strength of hydrated portland cement (Barrick and Korkosky), Jan., 61

I

Impact tests
Fracture energy and crack tunnelling (Johnson and Radon), May, 209
Load-time attenuation during instrumented Charpy impact testing (Rack), May, 176
Industrial wastes
Red mud from alumina plants as a possible source of synthetic aggregate (Blank), Sept., 355
Inspection
Instruments for inspection of coatings (Berger and Mroz), Jan., 29
Intergranular corrosion
Evaluation of intergranular corrosion in stainless steel (Loginow), Nov., 434
Invertebrates
Screening bioassay using *Daphnia pulex* for refinery wastes discharged into freshwater (Buikema, Lee, and Cairns), March, 119
Iron alloys
Variations in magnetic properties of iron-cobalt-vanadium alloys (Pinnel), Sept., 368
Irvine, C. H.: Evaluation of some factors affecting measurements of slip resistance of shoe sole materials on floor surfaces, March, 133
Irwin, W. E.: Development of a method to measure wear on resilient flooring, Jan., 15
Isotropy
Remolding stresses and directional strength behavior of an illitic clay (Khera), Jan., 101

J

Johnson, C. L.: *see* Kirby, C. K., Johnson, C. L., and Larsen, S. A.
Johnson, F. A. and Radon, J. C.: Fracture energy and crack tunnelling, May, 209
Joint movement
Joint movement in precast concrete panel cladding (Karpati and Sereda), March, 151

K

Kalousek, G. L., Porter, L. C., and Harboe, E. M.: Past, present, and potential developments of sulfate-resisting concretes, Sept., 347
Kao, C.-C. and Slate, F. O.: Tensile-shear bond strength and failure between aggregate and mortar, March, 148
Karpati, K. K. and Sereda, P. J.: Joint movement in precast concrete panel cladding, March, 151
Khera, R. P.: Remolding stresses and directional strength behavior of an illitic clay, Jan., 101
Kim, C. S.: *see* Emery, J. J., Kim, C. S., and Cotsworth, R. P.
Kirby, C. K., Johnson, C. L., and Larsen, S. A.: Comparisons of determinations of wool fiber diameter by two airflow methods, July, 268
Klima, S. J., Fisher, D. M., and Buzzard, R. J.: Monitoring crack extension in fracture toughness tests by ultrasonics, Nov., 397
Koehler, W. C.: *see* Hoffman, G. L., Cumberledge, Gaylord, and Koehler, W. C.
Koleske, J. V.: *see* Seefried, C. G., Jr. and Koleske, J. V.
Krokosky, E. M.: *see* Barrick, J. E., II and Krokosky, E. M.
Kung, J. H.: *see* Berger, R. L., Kung, J. H., and Young, J. F.

L

Lakshmana Rao, N. S.: *see* Veerabhadra Rao, P., Syamala Rao, B. C., and Lakshmana Rao, N. S.
Larsen, S. A.: *see* Kirby, C. K., Johnson, C. L., and Larsen, S. A.

Lasers
Note on pseudo-acoustic emission sources (Egle and Brown), May, 196
Lee, D. R.: *see* Buikema, A. L., Jr., Lee, D. R., and Cairns, John, Jr.
Lee, S. Y.: *see* Hsu, T. C. and Lee, S. Y.
Loading frequency
Converting fatigue loading spectra for flight-by-flight testing of aircraft and helicopter components (Ekvall and Young), July, 231
Loads (forces)
Load-time attenuation during instrumented Charpy impact testing (Rack), May, 176
Loginow, A. W.: Evaluation of intergranular corrosion in stainless steel, Nov., 434

M

Machinability
Machining glass ceramic in dry and wet environments (Stanislao, Turker, and Richman), Jan., 109
Production and economic consequences when machining glass ceramic (Turker, Stanislao, and Richman), March, 157
Magnetic alloys
Variations in magnetic properties of iron-cobalt-vanadium alloys (Pinnel), Sept., 368
Magnetic properties
Variations in magnetic properties of iron-cobalt-vanadium alloys (Pinnel), Sept., 368
Maraging steel
Feasibility of ranking material fracture toughness by ultrasonic attenuation measurements (Vary), July, 251
Masonry
Sulfur- and polymer-impregnated brick and block prisms (Chen, Mehta, and Slutter), July, 283
Statistical interpretation of strength tests of masonry units for structural applications (Brown and Grogan), July, 272
McKinnon, E. A.: Fatigue damage alleviation by intermittent electroplating, Jan., 57
McLeod, N. W.: Asphalt cements: pen-vis number and its application to moduli of stiffness, July, 275
Measurement
Comparisons of determinations of wool fiber diameter by two airflow methods (Kirby, Johnson, and Larsen), July, 268
Note on the measurement of proportional limit under multiaxial stresses (Clough), March, 139
Measuring instruments
Instruments for inspection of coatings (Berger and Mroz), Jan., 29
Mechanical properties
Screening test for torsional creep performance of plastics (Gonzalez), Jan., 21
Tensile-shear bond strength and failure between aggregate and mortar (Kao and Slate), March, 148
Mechanical tests
Constancy of the tensile test machine stiffness (Fortes and Proenca), July, 248
Development of a method to measure wear on resilient flooring (Irwin), Jan., 15
Mehta, H. C.: *see* Chen, W. F., Mehta, H. C., and Slutter, R. G.
Meshii, M.: *see* Quesnel, D. J. and Meshii, M.
Microstructure
Machining glass ceramic in dry and wet environments (Stanislao, Turker, and Richman), Jan., 109
Modulus of elasticity
Block concrete is a structural material (Holm), July, 293
Modulus of stiffness
Asphalt cements: pen-vis number and its application to moduli of stiffness (McLeod), July, 275
Mortars (material)
Correlation of strength of cement mortar cured by 28-day standard and accelerated methods (Chriss), Nov., 440
Tensile-shear bond strength and failure between aggregate and mortar (Kao and Slate), March, 148
Mroz, S. E.: *see* Berger, D. M. and Mroz, S. E.
Mukherjee, A. K.: *see* Bianchetti, R., Hamstad, M. A., and Mukherjee, A. K.
Munz, D.: *see* Bachmann, V. and Munz, D.

N

Nomographs
Nomograph for determining corrosion rate in wire coil tests (Zanker), July, 261

O

Ostergren, W. J.: Damage function and associated failure equations for predicting hold time and frequency effects in elevated temperature, low cycle fatigue, Sept., 327

P

Parikh, P. D. and Shapiro, Eugene: Discussion of "stress relaxation in tension of CA 172 copper-beryllium" by R. P. Goel, March, 161
Pelletizing
Base stabilization using pelletized blast furnace slag (Emery, Kim, and Cotsworth), Jan., 94
Pen-vis number
Asphalt cements: pen-vis number and its application to moduli of stiffness (McLeod), July, 275
Pinnel, M. R.: Variations in magnetic properties of iron-cobalt-vanadium alloys, Sept., 368
Polymers
Characterization of polymeric materials by dynamic mechanical properties (Seefried and Koleske), May, 220
Porter, L. C.: *see* Kalousek, G. L., Porter, L. C., and Harboe, E. M.
Portland cements
Correlation of strength of cement mortar cured by 28-day standard and accelerated methods (Chriss), Nov., 440
Discussion of "a new test for sulfate resistance of cements" by P. K. Mehta and O. E. Gjørv (Coutinho), Jan., 40
Effects of temperature and relative humidity on static strength of hydrated portland cement (Barrick and Krokosky), Jan., 61
Past, present, and potential developments of sulfate-resisting concretes (Kalousek, Porter, and Harboe), Sept., 347
Power spectra
Monitoring to determine the dynamics of fatigue testing (Collacott), May, 181
Prisms
Sulfur- and polymer-impregnated brick and block prisms (Chen, Mehta, and Slutter), July, 283
Proença, J. G.: *see* Fortes, M. A. and Proença, J. G.
Proportional limit
Note on the measurement of proportional limit under multiaxial stresses (Clough), March, 139

Q

Quesnel, D. J. and Meshii, M.: Local strain behavior prior to fatigue crack nucleation, Sept., 319

R

Rack, H. J.: Load-time attenuation during instrumented Charpy impact testing, May, 176
Radon, J. C.: *see* Johnson, F. A. and Radon, J. C.
Ranganathan, B. N., Wert, J. J., and Clotfelter, W. N.: X-ray residual stress calibration data of certain ferrous and nonferrous alloys, May, 218
Residual stress
X-ray residual stress calibration data of certain ferrous and nonferrous alloys (Ranganathan, Wert, and Clotfelter), May, 218
Richman, M. H.
see Stanislao, Joseph, Turker, E. G., and Richman, M. H.
see Turker, E. G., Stanislao, Joseph, and Richman, M. H.
Roberts, F. L.: Evaluation of a proposed test method for determining the maximum dry density of dense graded aggregate, Sept., 303

S

Schwartzbart, H.: *see* Skidmore, K. F. and Schwartzbart, H.
Seefried, C. G., Jr. and Koleske, J. V.: Characterization of polymeric materials by dynamic mechanical properties, May, 220
Sereda, P. J.: *see* Karpati, K. K. and Sereda, P. J.
Shannon, J. L., Jr.: Discussion of "unusual potential drop during the application of the electrical potential method in a fracture mechanics test" by V. Bachmann and D. Munz, Nov., 425
Shapiro, Eugene: *see* Parikh, P. D. and Shapiro, Eugene
Shear modulus
Screening test for torsional creep performance of plastics (Gonzalez), Jan., 21
Shoes
Evaluation of some factors affecting measurements of slip resistance of shoe sole materials on floor surfaces (Irvine), March, 133

Shrinkage
Influence of calcium chloride on the drying shrinkage of alite paste (Berger, Kung, and Young), Jan., 85
Sines, George: *see* Adams, Marc and Sines, George
Skidmore, K. F. and Schwartzbart, H.: Corrosion and dezincification of brasses in water, Nov., 426
Skid resistance
Evaluation of some factors affecting measurements of slip resistance of shoe sole materials on floor surfaces (Irvine), March, 133
Slags
Base stabilization using pelletized blast furnace slag (Emergy, Kim, and Cotsworth), Jan., 94
Slate, F. O.: *see* Kao, C.-C. and Slate, F. O.
Slutter, R. G.: *see* Chen, W. F., Mehta, H. C., and Slutter, R. G.
Sonic tests
Monitoring to determine the dynamics of fatigue testing (Collacott), May, 181
Stability
New stable nickel-base thermocouple (Starr and Wang), Jan., 42
Stabilization
Base stabilization using pelletized blast furnace slag (Emery, Kim, and Cotsworth), Jan., 94
Stainless steels
Evaluation of intergranular corrosion in stainless steel (Loginow), Nov., 434
Standardization
Yield point standardization (Taraldsen), March, 126
Stanislao, Joseph
and Turker, E. G. and Richman, M. H.: Machining glass ceramic in dry and wet environments, Jan., 109
see Turker, E. G., Stanislao, Joseph, and Richman, M. H.
Starr, C. D. and Wang, T. P.: New stable nickel-base thermocouple, Jan., 42
Strain rate
Constancy of the tensile test machine stiffness (Fortes and Proença), July, 248
Strength and toughness of a metastable beta-titanium alloy as influenced by strain rate variations (Chait), Sept., 359
Strains
Damage function and associated failure equations for predicting hold time and frequency effects in elevated temperature, low cycle fatigue (Ostergren), Sept., 327
Discussion of "stress relaxation in tension of CA 172 copper-beryllium" by R. P. Goel (Parikh and Shapiro), March, 161
Elevated temperature fatigue of aluminum alloy 5454 [addendum to "low cycle fatigue of aluminum alloys"] (Brodrick), Sept., 375
Local strain behavior prior to fatigue crack nucleation (Quesnel and Meshii), Sept., 319
Stresses
Alignment problems in the tensile test (Christ and Swanson), Nov., 405
Environmental stress cracking of thermoplastics: a new approach to testing (Henry), July, 263
Fracture criteria for brittle materials (Ehrenburg), May, 200
Methods for determining the strength of brittle materials in compressive stress states (Adams and Sines), Nov., 383
Note on the measurement of proportional limit under multiaxial stresses (Clough), March, 139
Remolding stresses and directional strength behavior of an illitic clay (Khera), Jan., 101
Stress relaxation tests
Constancy of the tensile test machine stiffness (Fortes and Proença), July, 248
Discussion of "stress relaxation in tension of CA 172 copper-beryllium" by R. P. Goel (Parikh and Shapiro), March, 161
Stress waves
Note on pseudo-acoustic emission sources (Egle and Brown), May, 196
Structural tests
Structural tests of aerodynamic surfaces: a systems approach to analysis and design (Goldenberg), Nov., 418
Sulfates
Discussion of "a new test for sulfate resistance of cements" by P. K. Mehta and O. E. Gjørv (Coutinho), Jan., 40
Swanson, S. R.: *see* Christ, B. W. and Swanson, S. R.
Syamala Rao, B. C.: *see* Veerabhadra Rao, P., Syamala Rao, B. C., and Lakshmana Rao, N. S.

T

Taraldsen, Alf: Yield point standardization, March, 126
Temperature
Effects of temperature and relative humidity on static strength of hydrated portland cement (Barrick and Krokosky), Jan., 61
Temperature susceptibility
Asphalt cements: pen-vis number and its application to moduli of stiffness (McLeod), July, 275
Tensile strength
Block concrete is a structural material (Holm), July, 293
Tensile stress
Constant tensile stress creep testing machine (Hostinský and Čadek), Jan., 26
Tensile testers
Environmental stress cracking of thermoplastics: a new approach to testing (Henry), July, 263
Tension tests
Alignment problems in the tensile test (Christ and Swanson), Nov., 405
Origin of burst-type acoustic emission in unflawed 7075-T6 aluminum (Bianchetti, Hamstad, and Mukherjee), Sept., 313
Yield point standardization (Taraldsen), March, 126
Thermal conductivity
New stable nickel-base thermocouple (Starr and Wang), Jan., 42
Thermoplastic resins
Environmental stress cracking of thermoplastics: a new approach to testing (Henry), July, 263
Threads
Salt water and hydrogen sulfide corrosion fatigue of work-hardened, threaded elements (Bellow and Faulkner), March, 141
Titanium alloys
Strength and toughness of a metastable beta-titanium alloy as influenced by strain rate variations (Chait), Sept., 359
Torsion
Screening test for torsional creep performance of plastics (Gonzalez), Jan., 21
Torsion pendulums
Characterization of polymeric materials by dynamic mechanical properties (Seefried and Koleske), May, 220
Toughness
Strength and toughness of a metastable beta-titanium alloy as influenced by strain rate variations (Chait), Sept., 359
Toxicity
Screening bioassay using *Daphnia pulex* for refinery wastes discharged into freshwater (Buikema, Lee, and Cairns), March, 119
Turker, E. G.
and Stanislao, Joseph and Richman, M. H.: Production and economic consequences when machining glass ceramic, March, 157
see Stanislao, Joseph, Turker, E. G., and Richman, M. H.
Two-fluid measurements
Guard-gap corrections for guarded-electrode measurements and exact equations for the two-fluid method of measuring permittivity and loss (Endicott), May, 188

U

Ultrasonic tests
Feasibility of ranking material fracture toughness by ultrasonic attenuation measurements (Vary), July, 251
Monitoring crack extension in fracture toughness tests by ultrasonics (Klima, Fisher, and Buzzard), Nov., 397

V

Vary, Alex: Feasibility of ranking material fracture toughness by ultrasonic attenuation measurements, July, 251
Veerabhadra Rao, P., Syamala Rao, B. C., and Lakshmana Rao, N. S.: Correlating models and prediction of erosion resistance to cavitation and drop impact, Jan., 3

W

Wang, T. P.: *see* Starr, C. D. and Wang, T. P.
Wert, J. J.: *see* Ranganathan, B. N., Wert, J. J., and Clotfelter, W. N.
Wire
Nomograph for determining corrosion rate in wire coil tests (Zanker), July, 261
Wool
Comparisons of determinations of wool fiber diameter by two airflow methods (Kirby, Johnson, and Larsen), July, 268
Work hardening
Salt water and hydrogen sulfide corrosion fatigue of work-hardened, threaded elements (Bellow and Faulkner), March, 141

X-ray diffraction
X-ray residual stress calibration data of certain ferrous and nonferrous alloys (Ranganathan, Wert, and Clotfelter), May, 218

Y

Yield point
Yield point standardization (Taraldsen), March, 126
Young, J. F.: *see* Berger, R. L., Kung, J. H., and Young, J. F.
Young, L.: *see* Ekvall, J. C. and Young, L.

Z

Zanker, Adam: Nomograph for determining corrosion rate in wire coil tests, July, 261